

TECHNICAL FEATURES

PERFORMANCE

| Range | 2.5 – 180 m, 95% reflectivity |
|---|---|
| Field of view | |
| Horizontal | 360° (full panoramic) |
| Vertical | 90° (-25° to +65°) |
| Scan rate | Up to 40000 points/sec |
| Laser Beam Divergence | 0.37 mrad |
| Grid spacing | 39 mm x 39 mm @ 100 m |
| Angular resolution | 1.35' (H) x 1.35' (V) |
| | (at max resolution) |
| Range accuracy | < 6 mm @ 50 m - (1 sigma) |
| | < 40 mm @ 300 m |
| | |
| SYSTEM Scanning optics | Vertically rotating mirror, |
| Scanning optics | horizontally rotating base |
| Scanning optics Laser Class | horizontally rotating base Class 1M (IEC 60825-1) |
| Scanning optics | horizontally rotating base Class 1M (IEC 60825-1) 905 nm (invisibile) |
| Scanning optics Laser Class Laser wavelenght Dual-axis | horizontally rotating base Class 1M (IEC 60825-1) |
| Scanning optics Laser Class Laser wavelenght Dual-axis | horizontally rotating base Class 1M (IEC 60825-1) 905 nm (invisibile) Accuracy 0.08°, |
| Scanning optics Laser Class Laser wavelenght Dual-axis compensator | horizontally rotating base Class 1M (IEC 60825-1) 905 nm (invisibile) Accuracy 0.08°, Range +/- 20° |
| Scanning optics Laser Class Laser wavelenght Dual-axis compensator Integrated cameras | horizontally rotating base Class 1M (IEC 60825-1) 905 nm (invisibile) Accuracy 0.08°, Range +/- 20° 5 + 5 megapixels |
| Scanning optics Laser Class Laser wavelenght Dual-axis compensator Integrated cameras Resolution | horizontally rotating base Class 1M (IEC 60825-1) 905 nm (invisibile) Accuracy 0.08°, Range +/- 20° 5 + 5 megapixels 1944 x 2592 x 2 px |

Illustrations, descriptions and technical specifications are not binding and may change

Ethernet

| Scanner control | Dedicated Wi-Fi web interface |
|----------------------------|--------------------------------------|
| | for smartphone/tablet |
| | (Adroid, iOS and Windows Mobile) |
| PHYSICAL | |
| Scanner | |
| Size (D x W x H) Weight | 215 mm x 170 mm x 430 mm |
| | 6.15 kg/12.35 lbs (without battery) |
| Battery | |
| Size (D x W x H) | 42 mm x 165 mm x 120 mm |
| Weight | 0.85 kg / 1.76 lbs |
| AC Power Supply | 40000 |
| Size (D x W x H) | 147 mm x 63 mm x 38 mm |
| Weight | 200 g / 0.441 lbs |
| ELECTRICAL | *** |
| Power supply | 12 V (battery or external power unit |
| Power consumption | 40 W (on average) |
| Battery type | Li-Poly |
| Operation | > 3 h |
| ENVIRONMENTAL | |
| Operating temp. | -10°C to +50°C/14°F to 122°F |
| Storage temp. | -25°C to +80°C/-13°F to 176°F |
| Humidity | Non-condensing |
| Protection class | IP65 |







Stonex ® srl is a multinational company, based in Lissone (MB), Italy, designing and manufacturing surveying instruments for high precision applications in civil engineering, surveying, security, transport and mining. Stonex is always characterized by its high standards of quality, precision, efficiency and reliability, allowing each project to become a landmark ageless. The company operates in over eighty countries, with a full range of products through a network of highly qualified distributors and resellers.



STONEX® srl

UNI EN ISO 9001:2008

Via Cimabue 39 - 20851 Lissone (MB) Italy Phone +39 039 2783008 Fax +39 039 2789576 www.stonexpositioning.com | info@stonexpositioning.com

SSTONEX





THE HARDWARE

STONEX X300L is the best available solution for 3D scanning, fully designed and manufactured in Italy

Stonex X300L is the best solution for any application, balancing economic efficiency and highly accurate outputs. The sealed external case protects optic and EDM components allowing the scanner to operate in dusty environments without risk of damaging sensitive parts.

PAY PER USE: 3D survey for all

Stonex offers a Pay per Use service with lot of advantages:

REDUCED INVESTMENT

X300L can be yours at a very low price;

INCLUDED SOFTWARE

A copy of Stonex Reconstructor L is provided;

PAY ONLY IF YOU USE IT

Buy a refill only when you need it. After last refill you will be enabled to use the instrument forever without limitations:

UPGRADE AVAILABLE

An upgrade service is optionally available to increment the instrument performances.

. EASY TO USE



Just a single multi-function button for easier use.



Three Transmission ports: 1. GPS connector, 2. USB port to download data, 3, port for external power supply and ethernet data transmission enabling all kinds of monitoring applications.

. EASY STATUS CONTROL



The easy-to-read LED bar shows X300 operating status (i.e. battery charge status or scan progress).

KEY FEATURES

STONEX

- need is carried in a handy suitcase;
- Solid and lightweight (only 7 kg battery included);
- fieldwork use:
- minutes, saving time and money;
- Ideal for medium-range outdoor applications;
- The most efficient and cost effective solution, with excellent price-performance ratio;
- Advanced Wi-Fi capabilities: operate the scanner directly from your smartphone (iOs, Android and
- Two integrated real-time digital cameras 5 Mpx each;
- Integrated GNSS measurements with standard GPS surveying equipment;
- Safe and reliable laser pulse: class 1 eye safe, does not deteriorate over time;

STONEX RECONSTRUCTOR, powerful and ready to use 3D software



THE SOFTWARE

To make more effective the use of the X300L, Stonex has developed a powerful and flexible software called Stonex Reconstructor. The Stonex Reconstructor software is based on the well known JRC 3D Reconstructor ® Technology.


JRC 3D Reconstructor® is a software package worldwide appreciated for 3D laser scanner data processing in several application fields. The software - engineered and powered by Gexcel srl under Stonex requirements - comes from the convergence of two experiences: the academic know-how of University studies and the applied research achievements of the European Joint Research Centre (JRC), located in Ispra (Italy).

Stonex Reconstructor aim is to turn the latest scientific achievements in the Geomatics field into an hi-tech software for wide application areas. Thanks to the deep knowledge, the software solutions developed in collaboration with Gexcel are able to satisfy different customer's requirements, from the construction and infrastructure application to cultural heritage, architectural and mining / tunne-

Stonex and Gexcel engineers have been working together to take advantage of the qualities of the X300L Stonex laser scanner.

Stonex Reconstructor with Survey module is bundled with the X300. Optional modules are provided for specific functions such as Construction and Mining.

SURVEY MODULE



The fitting solution to capture, process and analyze 3D data of artefacts acquired with X300L scanner. Elevation, planes and cross sections can be extracted and exported.


Main Features:

- · Stonex X300L Raw data import with reflectance and color;
- · Scan alignment and geo-reference with total station and GPS points;
- · Scans filtering and editing;
- Meshing tools;
- Measuring tools (point, distance, angles);
- Cross sections:
- Orthographic, cylindrical and spherical view extraction from point or meshes;
- Flythrough video creation;
- · Easy exportation in CAD or 3D modeling software.

CAMERA CAPTURE

(Available for all modules)

2. CONSTRUCTION MODULE




Specifically designed for construction and civil engineering fields, the Construction package offers user friendly software solution to easily extract data from 3D models to CAD applications. It provides deformation and displacement maps, calculation of areas and volumes. Perfect for geo-referencing both in using large format East-North cartographic coordinates systems (i.e. UTM WGS84) and in accordance with external points or targets measured with total station or GNSS.

Main Features:

- · Stonex X300L Raw data import with reflectance and color;
- · Scan alignment and geo-reference with total station and GPS points;
- · Scans filtering and editing;
- Multiple meshing tools;
- Measuring tool (point, distance, angles, areas and volumes);
- Cross sections:
- · Orthographic, cylindrical and spherical view extraction from point or meshes;
- Deformation maps:
- Planarity and verticality maps;
- Flythrough video creation;
- Easy exportation in CAD or 3D modeling software.

3. MINING MODULE



Specifically designed for open pit mine, landfill and landscape topographical application, the Mining package offers a user friendly software solution for infrastructures and land surveys, mines, landfills, excavations and support to geological analysis and monitoring.

Main Features:

- · Stonex X300L Raw data import with reflectance and color:
- · Scan alignment and geo-reference with total station and GPS points;
- Scans filtering and editing;
- Meshina tools:
- · Surfaces and DTM creation;
- · Measuring tool (point, distance, angles, areas and volumes, cut & fill volumes);
- · Cross sections, crests & toes, isolines;
- · Orthographic, cylindrical and spherical view extraction from point or meshes;
- Deformation maps;
- Flythrough video creation;
- · Easy exportation in CAD or 3D modeling software.